# GUJCET-BE-2023

Test Booklet No.



This booklet contains 16 pages.

DO NOT open this Test Booklet until you are asked to do so.

## Important Instructions:

- 1) The Biology test consists of 40 questions. Each question carries 1 mark. For each correct response, the candidate will get 1 mark. For each incorrect response 1/4 mark will be deducted. The maximum marks are 40.
- 2) This Test is of 1 hour duration.
- 3) Use Black Ball Point Pen only for writing particulars on OMR Answer Sheet and marking answers by darkening the circle 60%.
- 4) Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 5) On completion of the test, the candidate must handover the Answer Sheet to the Invigilator in the Room / Hall. The candidates are allowed to take away this Test Booklet with them.
- 6) The Set No. for this Booklet is 07. Make sure that the Set No. printed on the Answer Sheet is the same as that on this booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7) The candidate should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet.
- 8) Do not write your Seat No. anywhere else, except in the specified space in the Test Booklet / Answer Sheet
- 9) Use of White fluid for correction is not permissible on the Answer Sheet.
- Each candidate must show on demand his / her Admission Card to the Invigilator. 10)
- No candidate, without special permission of the Superintendent or Invigilator, should leave his / her 11) seat.
- 12) Use of Simple (Manual) Calculator is permissible.
- The candidate should not leave the Examination Hall without handing over their Answer Sheet to the 13) Invigilator on duty and must sign the Attendance Sheet (Patrak - 01). Cases where a candidate has not signed the Attendance Sheet (Patrak - 01) will be deemed not to have handed over the Answer Sheet and will be dealt with as an unfair means case.
- The candidates are governed by all Rules and Regulations of the Board with regard to their conduct 14) in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of the Board.
- No part of the Test Booklet and Answer Sheet shall be detached under any circumstances. 15)
- The candidates will write the Correct Test Booklet Set No. as given in the Test Booklet / Answer 16) Sheet in the Attendance Sheet. (Patrak - 01)


### **BIOLOGY**


- 1) Alexander Fleming was the first person to discover 'Penicillin' by chance. He worked on which bacterium?
  - (A) Haemophilus Influenzae
  - (B) Staphylococci
  - (C) Streptococcus Pneumoniae
  - (D) Salmonella Typhi
  - 2) Match the following. Choose the correct option.


	Column - I		Column - II
(i)	Propionibacterium Shermanii	(P)	Fermenting fruit prices to produce ethanol
(ii) (iii) (iv)	Saccharomyces Cerevisiae  Aspergillus niger  Trichoderma polysporum	(Q) (R) (S)	Citric Acid 'Swiss Cheese' Immuno-suppressive


- (A) (i R); (ii Q); (iii P); (iv S)
- (B) (i P); (ii S); (iii R); (iv Q)
- (C) (i P); (ii Q); (iii R); (iv S)
- (D) (i R); (ii P); (iii Q); (iv S)

3) Choose the correct option for the 'Annealing' step in P.C.R. from the following diagrammatic representations:










- 4) In extraction of genetic material (DNA), which enzyme is not used?
  - (A) Ribonuclease
  - (B) Cellulose
  - (C) Protease
  - (D) Both Protease and Ribonuclease

5)	In E.	Coli cloning vector pBR322, antibiction sites?	iotic r	esistance genes (amp <sup>R</sup> ) indicates which
	(A)	PvuI, PstI	(B)	PvuII, EcoRI
	<b>(C)</b>	BamHI, Sall	(D)	EcoRI, HindIII
			137 LIFE.	
6)	1001 1000	eins encoded by the genes	an	d, which control the cotton
	(A)	Cry I Ab and Cry I Ac.	(B)	Cry I Ab and Cry II Ac.
	(C)	Cry I Ac and Cry II Ab.	23 - 22	Cry II Ab and Cry II Ac.
7)		ose the correct option from the states		nts given below which do not support
	(A)	to test the safety of the polio vac		mais.
		for production of $\alpha - 1$ antitryps		ed to treat emphysema
	(B)	for diagonising genetic disorder		a to deat empiry series
	(Č)	to test the toxicity of drugs		
	(D)	to test the toxicity of drugs		
8)	Cho	ose the correct option showing po	pulati	ion interactions
-,	(A)	Sea-anemone and clown fish →		
	(B)	a the bout and bird -> Co	ompe	tition
	(C)	Egret and grazing cattle → Paras	itism	
	(D)	Fig and wasp → Mutualism		
	٧.			
9)			vo ba	sic processes which contribute to an
-,	incr	ease in population density.		
	(A)	Natality and Immigration	(B)	Mortality and Immigration
	(C)	To the and Emigration	(D)	Natality and Emigration
		(Space for Rou	gh V	Vork)
		(Space Iti Itou	<del>0</del> ·	

				de range at temperatures. They are
10)	A fev	v organisms can tolerate and thriv	e in a	wide range at temperatures. They are
	knov	vn as:		Stenohaline
	(A)	Eurythermal	(-,	
		Stenothermal	(D)	Euryhaline
				: c.dottitus is rich in
11)	Ina	particular condition, decompositi	on rat	e is slower if detritus is rich in
	and	•		
	(A)	nitrogen and sugar		ligin and chitin
	(C)	ligin and nitrogen	(D)	chitin and sugar
	` '			
12)	In w	hich trophic level, you will keep t	he spe	ecies 'Sparrow'?
	(A)	0 1 D : C		
	<b>(B)</b>	Only Secondary Consumer		
	(C)	Both Primary and Secondary Co	nsum	er
	(D)	Both Secondary and Tertiary Co	nsum	er
13)	spec	opreservation technique are practicies in viable and fertile conditions operature in which it is done?	ced fo	or preserving the gamates of threatened for long periods. Choose the correct
	(A)	− 296°C	(B)	-42°C
	(C)	– 90°C	(D)	– 196°C
14)	that	pecies-Area relationship, select to within a region species richness up to a limit.	he na	turalist and geographer who observed ased with increasing explored area, but
	(A)	Paul Ehrlich	(B)	Alexander Von Humboldt
	(C)	Edward Wilson	(D)	David Tilman
		(Space for Ro	ugh	Work)

15) Following figure represent the global biodiversity showing proportionate number of species at major taxa of invertebrates. Identify 'X' and 'Y'.



- (A) X = Molluscs; Y = Crustaceans (B) X = Crustaceans; Y = Molluscs
- (C) X = Crustaceans; Y = Insects (D) X = Molluscs; Y = Insects
- 16) According to Central Pollution Control Board (CPCB), particulate size \_\_\_\_ in diameter are responsible for Causing the greatest harm to human health.
  - (A) 10.0 micrometers
- (B) 5.0 micrometers
  - (C) 2.5 micrometers

(D) 7.5 micrometers

Choose the correct option by matching Column - I and Column - II

	Column - I		Column - II
(P)	Water (Prevention and Control of Pollution) Act,	(i)	1987
(Q)	Environment (Protection) Act,	(ii)	1981
(R)	Montreal Protocol	(iii)	1974
<b>(S)</b>	Air (Prevention and Control of	(iv)	1986
	Pollution) Act,		

- (P iii), (Q iv), (R i), (S ii)
- (B) (P-iii), (Q-i), (R-iv), (S-ii)
- (C) (P-ii), (Q-iii), (R-iv), (S-i)
- (D) (P iv), (Q iii), (R ii), (S i)

18) Choose the correct option which is correct for 'asexual reproduction'.

Statement P:- Reproductive structures for Chlamydomonas are zoospores.

Statement Q:- Amoeba undergoes both binary and multiple fission under respective conditions.

Statement R:- Fragmentation occurs in Hydra & sponges.


- (A) Statements P is true
- (B) Statements Q and R are true
- (C) Statements P and Q are true
- (D) Statements P, Q & R are true

### 19) Match the following. Choose the correct option.

	Column - I		Column - II	Column - III					
(i)	Homothallic	(P)	Monoecious	(X)	Coconut & Chara				
(ii)	Heterothallic	(Q)	Dioecious	(Y)	Papaya & Merchantia				


- (A) (I ii), (II Q), (III X)
- (B) (I i), (II P), (III X)
- (C) (I-i), (II-P), (III-Y)
- (D) (I-i), (II-Q), (III-Y)


20) What indicates 'X' and 'Y' in the following diagram?



- (A) X = Egg cell; Y = Synergid
- (B) X = Synergid; Y = Filiform apparatus
- (C) X = Filiform apparatus; Y = Synergid
  - (D) X = Egg cell; Y = Filiform apparatus
- 21) In flowering plants, 'triple fusion' is the combination of \_\_\_\_\_\_.
  - (A) Central polar nuclei + One male gamate
  - (B) Two antipodal cells + One male gamate
  - (C) Two synergids + One male gamate
  - (D) Egg cell + Two male gamates

22) The diagram given below represent the operation of natural selection on different trails. Choose the correct option.





- (A) Disruptive
- (C) Stabilising

- (B) Directional
- (D) Stabilising & Directional Both
- 23) This defines the 'Operon'.
  - (A) Arrangement of operator + regulatory gene
  - (B) Arrangement of structural gene + operator + regulatory gene
  - (C) Arrangement of structural gene + regulatory gene
  - (D) Arrangement of structural gene + promoter + regulatory gene
- 24) In a microsporangium, which layer is generally having more than one nucleus?
  - (A) Tapetum

(B) Middle layers

(C) Endothecium

- (D) Epidermis
- 25) Choose the correct sequence of transport at sperms in human from seminiferous tubules is:
  - (A) Vasa efferentia → Rete testis → Epididymis → Vas deferens
  - (B) Rete testis → Epididymis → Vasa efferentia → Vas deferens
  - (C) Rete testis → Vasa efferentia → Epididymis → Vas deferens
  - (D) Vas deferens → Vasa efferentia → Epididymis → Rete testis

26)	These	hormones are produced in wome	n duri	ng pregnancy only:
	(A) 1	hCG, progestogens & relaxin		
	<b>(B)</b>	hCG, hPL & relaxin		
	(Č)	hPL, estrogen & relaxin		
	(D)	progestogens, estrogens & relaxi	n	
27)	During that of	ng Human fertilisation, this inductionly one sperm can enter and ferti	lise th	
	(A)	Perivitelline space	<b>(B)</b>	Zona pellucida
	(C)	Corona radiata	(D)	Cytoplasm of the ovum
28)	In fe	emales, MTP's are considered	relativ	ely safe during weeks of
		nancy.		
	(A)	30 to 36	(B)	12 to 24
	(C)	16 to 28	(D)	11 to 22
29)	Cho	ose the correct option which can be er the skin for emergency contrac	e used eptive	by the females as injections or implants e from the following:
	(i)	progestogens		
	(ii)	progestogen + estrogen combin	ation	S
	(iii)	estrogen		
	(iv)	progestasert		/** 0 /:::\
	(A)	(i) & (ii)		(ii) & (iii)
	(C)	(i) & (iv)	(D)	(i) & (iii)
30	) 'Se	x-determination' in Humans is id	entific	ed by:
	(A)		(B)	Germ cell → sex chromosome
	(C	) Germ cell → autosomes	(D	) Somatic cell → sex chromosomes
		(Space for Ro	ough	Work)

- 31) In Turner's Syndrome, during cell division, which type of Aneuploidy is seen?
  - (A) (2n+2)

(B) (2n-1)


(C) (2n+1)

- (D) (2n 2)
- A cross was made by Mendel with pea plant between violet flower (VV) in axial 32) position (AA) and white flower (vv) in terminal position (aa). What ratio of white flowers (vv) phenotypically he had received in F<sub>2</sub> generation?
  - (A) 4

(B) 3

(C) 9

- (D) 1
- 33) In the given figure below, what does the 'X' represents?



Glycine (Gly)

Tyrosine (Tyr)

Valine (Val)

Serine (Ser)


#### (Space for Rough Work)

[12]

OX

VAVa ひひ

VVAA x vvaa



PTI47 (07)

	(iii) U (iv) (iv) Comp T(True (A) I	UUU would code for phenylalanine. GAA is a stop terminator codon.	e 1		
35)	From	n 15 mya to 40,000 years back, what wattion of man?	vi	ll be the correct series of indication in	
	574008	Australopithecines → Homo erectus	: _	→ Ramanithecus → Neanderthal	
	(B)	Ramapithecus → Homo erectus →	, Aı	stralopithecines → Neanderthal	
		Australopithecines → Ramapithecu			
		Ramapithecus Australopithecine			
36)	In th	he life cycle of plasmodium sporosoduction in which cells?	zo	ites undergoes asexual	
	(A)	Intestinal cells & R.B.C. (B	)	Liver cells & R.B.C.	
	(C)	Liver cells & W.B.C. (D	)	Salivary glands & W.B.C.	
37)	This	s is the correct statement for IgE.			
	(A)	Inhibits the secretion of histamine a	m	d serotonin from mast cells	
	(B)				
	(C)	Giving immune response to allerger	15	the feetus through placenta	
	(D)	This antibody is received from the during pregnancy	n	nother to the foetus through placenta	
-		(Space for Rough	V	Vork)	

38) Identify the plant, from where a chemical is extracted whose skeletal structure is

- (A) Saccharum officinarum
- (B) Papaver somniferum

(C) Cannabis sativa

- (D) Eichhornia crassipes
- 39) Choose the correct option, which is not true for 'inbreeding depression.
  - (A) In breeding refers to the mating of more closely related individuals within the same breed for 4-6 generations which lead to 'inbreeding depression'
  - (B) It increases homozygosity
  - (C) Close inbreeding reduces fertility and productivity
  - (D) It is a practice of mating animals within the same breed but having no common ancestors on either side of their pedigree up to 4-6 generations.
- 40) From IR-8 and Taichung Native I, which variety of semi-dwarf crop was derived?
  - (A) Sugarcane

(B) Rice

(C) Wheat

(D) Maize

	Gl	JJC	ET	-23	OM	RΡ	RO	VIS	ON	AL	ANS	S-KE	ΞΥ (	BIC	LO	GY)	(HI	N-E	NG	)	+1
TQP		01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20
Q.1		*	Α	D	С	D	Α	В	С	С	D	В	В	В	D	D	Α	С	В	Α	D
Q.2		В	Α	В	Α	В	Α	D	D	С	С	С	*	С	Α	С	В	D	С	В	Α
Q.3		Α	В	В	Α	D	D	C	D	Α	С	Α	Α	Α	В	С	С	Α	Α	С	В
Q.4		С	Α	*	С	C	В	В	Α	С	Α	В	В	С	В	D	Α	Α	В	*	В
Q.5		С	С	С	D	Α	В	Α	С	D	В	В	В	Α	D	Α	Α	В	В	Α	Α
Q.6		В	В	В	С	Α	D	С	С	Α	*	*	Α	В	Α	В	D	С	D	В	Α
Q.7		C	В	В	D	D	Α	С	В	Α	С	С	D	D	Α	В	С	D	С	С	D
Q.8		Α	*	С	Α	С	В	D	С	В	Α	В	Α	D	D	Α	С	В	*	С	В
Q.9		В	Α	Α	В	С	С	Α	Α	С	В	В	D	Α	В	Α	В	В	В	Α	В
Q.10		В	В	С	В	D	Α	A	В	*	В	С	В	В	В	D	С	С	D	С	С
Q.11		*	В	Α	D	Α	Α	В	В	Α	С	D	С	В	С	В	D	Α	С	В	С
Q.12		С	Α	В	Α	В	D	С	D	В	В	С	С	Α	В	В	В	*	С	Α	D
Q.13		В	D	D	Α	В	С	D	С	С	Α	D	D	D	В	С	В	В	В	Α	С
Q.14		В	Α	D	D	Α	С	В	*	C	С	В	В	В	D	С	Α	С	С	*	С
Q.15		С	D	Α	В	Α	В	В	В	A	С	Α	В	С	С	D	С	Α	D	С	Α
Q.16		D	В	В	В	D	С	С	D	С	*	Α	D	D	С	С	*	Α	В	Α	В
Q.17		С	С	В	С	В	D	Α	С	В	В	D	С	D	Α	С	В	В	В	Α	*
Q.18		D	С	Α	В	В	В	*	С	Α	С	В	В	Α	С	Α	Α	Α	*	С	С
Q.19		В	D	D	В	С	В	В	В	Α	С	В	Α	С	D	В	С	С	С	D	Α
Q.20		Α	В	В	D	С	Α	С	С	*	В	D	С	С	Α	*	С	В	В	С	В
Q.21		Α	В	С	С	D	С	Α	D	С	D	Α	С	В	Α	С	В	В	В	D	В
Q.22		D	D	D	С	С	*	Α	В	Α	В	В	D	С	В	Α	С	*	С	Α	С
Q.23		В	С	D	Α	С	В	В	В	Α	D	С	Α	Α	С	В	Α	Α	Α	В	В
Q.24		В	В	Α	С	Α	Α	Α	*	С	С	Α	Α	В	*	В	В	В	С	В	Α
Q.25		D	Α	С	D	В	С	С	С	D	Α	Α	В	В	Α	С	В	В	Α	D	С
Q.26		Α	С	С	Α	*	С	В	В	С	Α	D	С	D	В	В	*	Α	В	Α	С
Q.27		В	С	В	Α	С	В	В	В	D	D	С	D	С	С	Α	С	D	D	Α	*
Q.28		С	D	С	В	Α	С	*	С	Α	С	С	В	*	С	С	В	Α	D	D	В
Q.29		Α	Α	Α	С	В	Α	Α	Α	В	С	В	В	В	Α	С	В	D	Α	В	С
Q.30		Α	Α	В	*	В	В	В	С	В	D	С	С	D	С	*	С	В	В	В	С
Q.31		D	В	В	Α	С	В	В	Α	D	Α	D	Α	С	В	В	D	С	В	С	В
Q.32		С	С	D	В	В	*	Α	В	Α	В	В	*	С	Α	С	С	С	Α	В	D
Q.33	15	С	D	С	С	Α	С	D	D	Α	В	В	В	В	Α	С	D	D	D	В	В
Q.34		В	В	*	С	С	В	Α	D	D	Α	Α	С	С	*	В	В	В	В	D	D
Q.35		С	В	В	Α	С	В	D	Α	В	Α	С	Α	D	С	D	Α	В	С	С	С
Q.36		D	С	D	С	*	С	В	В	В	D	*	Α	В	Α	В	Α	D	D	С	Α
Q.37		В	A	С	В	В	D	С	В	С	В	В	В	В	Α	D	D	С	D	Α	Α
Q.38		В	*	С	Α	С	С	С	Α	В	В	Α	Α	*	С	С	В	В	Α	С	D
Q.39		Α	В	В	Α	С	D	D	D	В	С	С	C	С	D	Α	В	A	C	D	С
Q.40		С	С	С	*	В	В	В	В	D	С	С	В	В	С	Α	D	С	С	Α	C
oi.	ોંઘ -	- જે	УŊЯ	нi A	ste	risk	(*)	) માર્	કે કરેલ	લ છે	ते प्रश	પ્રમા	ટે તમ	ામને	+1	ગુણ	આપ	વામાં	આ	યશે.	1